



Designing and Building an Improved Climate Monitoring Network for California



Kelly T. Redmond



Western Regional Climate Center Desert Research Institute

In coordination with

Scripps California Climate Change Center
Supported by
California Energy Commission



Overall goals

Tracking status of climate within the state and the region

All suitable stations

Index time series

Distillations of more complex information

Identification of useful current stations

Identifications of gaps in monitoring

For tracking of climate

For understanding of climate

Development of station inventories, data inventories

Merging and coordinating of existing monitoring efforts

Deployment of new stations / measurements

Dissemination of this information

Derived, gridded, analyzed data under consideration

Inter-related California projects

Enhanced California Climate Monitoring (CEC/CIEE)

Joint efforts with Scripps / CCCC (CEC)

California Climate Data Archive

Calclim: www.calclim.dri.edu

Access to climate data / products / information

Monitoring climate variability and change in California

California Climate Watch online newsletter

California Coastal Climate Data Archive

Sierra Nevada Climate Monitoring

Other Related Projects

California Applications Program RISA (NOAA, Scripps)
Blue Oaks Paleoclimate (Calfed, UArk, UAz, Scripps)
Climate Reference Network (NOAA)
Baseline climate activities (NOAA, WRCC)
Climate/weather inventory/monitoring/protocols (NPS)
Westmap Western Climate Mapping (NOAA)
Cooperative network upgrade / NERON (NOAA)
Caljet/Pacjet program successor – SHARE (NOAA, others)

Western Regional Climate Center California Climate Data Archive Scripps Institution of Oceanography



DATA & PRODUCTS

CLIMATE MONITORING & FORECASTS

CLIMATE RESEARCH

LINKS

About Us

Project Partners

Contact Us

California Climate Watch

April 2004 Climate Watch

Highlights:

- · Monthly Weather Summary by Bill Mork, California Department of Water Resources
- Feature Story: Vegetation Adaptation and Migration
- Monthly Weather Data and Recent Climate Maps
- Climate Forecasts and Outlooks: ENSO, Fire, Hydrology

Current Climate Maps:



Month-to-date Precipitation Anomaly



Month-to-Date Departure from Average Temperature



Cooling Degree Days since Jan 1



Heating Degree Days since Jul 1

Click here to see other products like this.

HOME DATA & PRODUCTS CLIMATE MONITORING CLIMATE RESEARCH LINKS SITE MA E-MAIL WEBMASTER CONTACT US © 2004 WESTERN REGIONAL CLIMATE CENTER, ALL RIGHTS RESERVED.

www.calclim.dri.edu

Contact: Laura Edwards

California Climate Watch

The Air You Breathe and the Climate You Experience

A monthly newsletter monitoring California climate

Highlights:

- More stations added in Monthly By LAURA EDWARDS Data section
- Brand new look!

July Quick Look: Average Temperature: last several decades to reduce the

Average Maximum: Average Minimum:

Precipitation: 28% of average

Inside this issue:

AB4420 [1]. A landmark bill was signed by Governor Gray Davis in 2002, AB 1493, to require the California Air Resources Board (CARB) to develop and adopt meas ares to reduce GHGs emitted by passenger vehicles and light duty trucks. In September 2004, regulations were approved for new motor vehicles beginning with the 2009 model year. The emissions included in these regulations

are: carbon dioxide (CO₂), methane (CH₄), nitrous oxide (N₂O), and hydrofluorocarbons (HFCs). (See the CARB Quality and Climate website for more details, http://www.arb.ca.gov/cc/ cc.htm.) On June 1, 2005, Governor Arnold Schwar-zenegger announced an Executive Order that set emission Climate Forecasts 3 targets for the next half century and designated coordina

California Climate Specialist

Western Regional Climate Center

California has been a leader in efforts to improve air quality in th United States. The state legislatur

has taken many measures over the

amount harmful emissions from

vehicles, homes and businesses.

economy and water supply, di-

rected by California Energy Com-

mission (CEC) as mandated by


Since 1988, California has studied the implications of a changing cli-mate on the state's environment,

reduced to 2000 levels by 2010. 1990 levels by 2020 and a reduction to 80% of 1990 levels by 2050 The science behind the Order includes some important con-cepts. Greenhouse gas (GHG)

reduction is important to improving air quality, but this action also has impacts on clinate. GHGs absorb infrared nergy that is radiated or relected from the surface. As it heats the air around it, which occurs on a global scale with increased GHGs worklwide


There is some natural amount of GHGs in the atmosphere which makes the planet habitable, but human activities have increased the abundance of these gases. including carbon dioxide and methane beyond the natu-


particulate matter or aerosols, also impact air quality human health, agriculture, and climate. Ozone is healthy at the highest levels of our atmosphere, providing a beneficial block to some ultraviolet radiation, but is harmful at low levels, in the troposphere where we live. Tropospheric ozone is estimated to be the third larges




Approximately 650 maps for California, updated daily.

Downtown Los Angeles Precipitation. July thru June, 1877-78 thru 2004-05. Mean 15.05 inches, c.v. 47 percent.







Western United States (11 states) Winter Temperature (October-March) Provisional data from NCDC / CPC. 11-year running mean in blue. Units: Inches. Data source NOAA cooperative network. Thru 2004-05.



Western United States (11 states) Annual Jan-Dec Temperature Provisional data from NCDC / CPC. Blue: 11-year running mean. Units: Inches. Data source NOAA cooperative network, thru May 2005.




Courtesy of Mike Dettinger, USGS / Scripps.




Dettinger MD. 2005. From climate change spaghetti to climate-change distributions for 21st Century California. San Francisco Estuary and Watershed Science. Vol. 3, Issue 1, (March 2005), Article 4. http://repositories.cdlib.org/jmie/sfews/vol3/iss1/art4


Western United States (11 states) Mar-Apr-May Temperature Provisional data from NCDC / CPC. Blue: 11-year running mean. Units: Inches. Data source NOAA cooperative network.




Western United States (11 states) Sept-Oct-Nov Temperature Provisional data from NCDC / CPC. Blue: 11-year running mean. Units: Inches. Data source NOAA cooperative network, thru May 2005.




Western United States (11 states) June-July-August Temperature Provisional data from NCDC / CPC. Blue: 11-year running mean. Units: Inches. Data source NOAA cooperative network, thru Aug 2005.




Western United States (11 states) Dec-Jan-Feb Temperature
Provisional data from NCDC / CPC. Blue: 11-year running mean.
Units: Inches. Data source NOAA cooperative network, thru May 2005.




Western United States (11 states) October-March Precipitation. Provisional data from NCDC / CPC. 111 Winters, 1895-2005. Units: Inches. Data source NOAA cooperative network.




Western United States (11 states) Water Year (Oct-Sep) Precipitation. Provisional data from NCDC / CPC. Blue: 11-year running mean. Units: Inches. Data source NOAA cooperative network, thru May 2005.




Courtesy of Mike Dettinger, USGS / Scripps.




Dettinger MD. 2005. From climate change spaghetti to climate-change distributions for 21st Century California. San Francisco Estuary and Watershed Science. Vol. 3, Issue 1, (March 2005), Article 4. http://repositories.cdlib.org/jmie/sfews/vol3/iss1/art4







Maximum Temperature Departure from Average Past Three Years


Mean Temperature Departure from Average Past Three Years



Minimum Temperature
Departure from Average
Past Three Years







Grids.


Reanalysis Resolution:


Global


Regional
(slightly
smaller; pixel
resolution)


Desired Resolution


About 1 km



















Current Stations







Sacramento City Daily Max Temp 1951-2005


Vs

Nevada City
Vacaville
Davis
Woodland
Sacramento FAA

19,000 days










Needles FAA Max Temp 1995-2005


Vs

Palm Springs
Las Vegas
Airport
Parker Reservoir
Blythe FAA
Blythe Coop











Elevation Transect Across Owens Valley south of Independence CA Vertical Exaggeration Approximately 4 X



TREX – Terrain Induced Rotors Experiment Independence CA Owens Valley


10




TREX – Terrain Induced Rotors Experiment Independence CA Owens

<u>1 km</u>


1 mile




Sierra Rotors TREX Network July 2004 Sites 01-06 Mean Hourly Temperature



Sierra Rotors / TREX. July 2004.
Average Monthly Max/Mean/Min Temperature.




Sierra Rotors / TREX Station Elevation Profiles by Transect.



Elevation difference between adjoining stations

Independence CA NWS Coop Station. **Average July Max / Mean / Min Temperature.**



Climate Center

CEC / CIEE Enhanced California Climate Monitoring Project - 1

10-15 Full or augmented stations possible.

Transects / clusters across strong climatic gradients: coast and mountains.

Transects across relatively unobserved areas.

Transects across relatively simple topography & geometry when feasible.

A few long term sites in San Francisco Bay area away from artificial influences (but can leverage with area groups, NPS, etc)

Coastal points and headlands (coordinated with Coastal Ocean Obs System).

Long term site stability and acceptable exposure is a priority.

Willing site hosts for power, communications, to anticipate maintenance.

Mountaintop sites (White Mtns (3), Mt Warren, Slide Mt, Mt Hoffman, Mammoth?)

Platforms for added instruments (aerosols, solar radiation, etc)

CEC / PIER Enhanced California Climate Monitoring Project - 2

Coordinate with CEC Sierra obs, NOAA Hydromet Test Bed, CODAR/OOS, other coastal, CRN, NPS I&M, NOAA-NWS, air quality networks, NOAA Climate Test Bed, others)

Identify areas to deploy equipment if future resources materialize

Southeastern deserts, northeast plateau, Sierra north-to-south, Klamath River interior coastal

Facilitate an east-side strong-gradient cluster (Sierra – Owens – White/Inyo).

ECCM Strategy as of September 2005

Special California CRN stations appear to be too expensive for ECCM

One or two transects from the near shore ocean to far western Great Basin.

Augment selected Sierra mountaintops.


Leverage other current and planned projects.

R – Existing or "expected" national CRN

C – Potential New California Climate Monitoring Site

A – Potential Augmentation Site

S – Additional sites of opportunity



Coasts in the United States


	Low resolution	Details to 100'
California	840	3427 miles
WA,OR,CA	1293	7863
Hawaii	750	1052
Alaska (Pacific)	5580	31383
Pacific	7623	40298
Atlantic	2069	28673
Gulf	1631	17141
Arctic	1060	2521
Total US Coast	12383	88633


[&]quot;How long is the coast of Great Britain?" problem — scaling and fractals


Source: National Ocean Service, infoplease.com. Details 1939-40.


Departure of Average Temperature from Normal (°F)

July 2002











July 2005

August 2005


Coastal - Integrated Ocean Observing System (1008) in the California Current System of the US



Source: www.pacoos.org/Pages/readings.htm



Channel Islands National Park: Design Considerations for Weather and Climate Monitoring



Kelly Redmond Greg McCurdy

Report WRCC 05-02 July 2005


Western Regional Climate Center
Desert Research Institute
2215 Raggio Parkway
Reno Nevada 89512-1095

Final copy can be found at ftp.wrcc.dri.edu/nps/chis





Sutter Buttes




Temporal Variability of


Orographic Effect on Precipitation

Sacramento (10')
Versus
Tahoe City (6230')


July thru June
Oct-March Percent
of Annual:
83% at Tahoe
88% at Sacramento




NOAA Hydrometeorological Test Bed -- North Fork American River



NOAA Hydrometeorological Test Bed -- N Fk American River Headwaters
















operations? or testing?

```
Ice
      Wind
   Imbalance
    Shaking
     Clouds
Battery Discharge
  Many Hours
"Interesting Data"
```

Ward Peak. Lake Tahoe Basin. 8600 feet.

Photo: Arlen Huggins






South <u>Central Sierra Snow Lab</u>

Photo: Dave Simeral

East





Chemists, for example, like Slide Mountain, Lake Tahoe Basin, 9650 ft. to be in clouds. Floriston 0° (N) Latitude N39° 30' 27" Longitude Washoe City W120° 7' 22" Elevation 6,085 feet New Washoe City Interval 250 feet Magnify: 100% Incline Village Incline Guard Station Kings Beach Crystal Bay Sand Harbor Beach State Recreation nelian Bay Crystal Bay Carson City MapData Profile **?** ■ **! !** GPS Map Display Find NetLink - Pitch Progress Close 3-D Map 100 % 55° ✓ Shading GPS Cursor: Pin Horizon (Carson City ✓ 3-D Objects Use Hardware Acceleration





Mt Warren





View looking south up Deer Cr (NB: beautiful Pleistocene Rock Glacial cyn), a tributary of Lundy Cyn (note also limber pines at left foreslope (one of our sites). 7/00

Photo: Connie Millar





Trinidad Head













Potential Long Term Climate Monitoring Sites






















UCSD:


Santa Margarita Ecological Reserve






































1530 GMT 29 Apr 2004 29 APR 04 TIME=15:30UTC RES=01.00KM NWS/WR-SSD G-10 IMG 01

01 29 APR 04120 153000 04322 17157 01.00

0002 G-10 IMG







ECCM Strategy as of September 2005

Special California CRN stations appear to be too expensive for ECCM

One or two transects from the near shore ocean to far western Great Basin.

Augment selected Sierra mountaintops.


Leverage other current and planned projects.

R – Existing or "expected" national CRN

C – Potential New California Climate Monitoring Site

A – Potential Augmentation Site

S – Additional sites of opportunity



Contact information

Kelly Redmond
Regional Climatologist
Western Regional Climate Center
775-674-7011 voice
775-674-7016 fax
kelly.redmond@dri.edu
www.wrcc.dri.edu


Calclim

Laura Edwards
California Climate Specialist
Western Regional Climate Center
775-674-7163 voice
775-674-7016 fax
laura.edwards@dri.edu
www.calclim.dri.edu





Thank You

Spares and discards after this




September thru August 1999-01 / 2004-05 Surface Temperature Dep NCEP/NCAR Reanalysis September thru August 1999-01 / 2004-05 700 mb Temperature Dep NCEP/NCAR Reanalysis





Annual Min Temp Dep 1997 2002 PRISM 1998 2003 1999 2004 2000



Partners

California Climate Change Center

Scripps Climate Research Division

California Department of Water Resources

Division of Flood Management

California Snow Survey

California Data Exchange Center

National Oceanic and Atmospheric Administration

NWS Weather Forecast Offices


NWS River Forecast Center

NOAA climate/marine/research agencies

State Climate Office (UC/DWR)

California Energy Commission

UC universities, and UC reserve system



Daily Summary for



June 16, 2005



	Wind			Air Temperature			Humidity			Dew	Wet	Baro.	Battery Voltage	
	Ave.	V. Dir.	Max.	Mean	Max	Min	Mean	Max	Min	Point	Bulb	Press.	Mean	Max Min
Station	mph	Deg	mph	Deg. F.			Percent			Deg. F.		in. Hg.	volts	
SR#1	10.2	231	52.8	68.7	80.9	58.0	18	30	10	23	47	24.24	12.8	13.2 12.3
SR#2	8.4	240	48.1	72.2	84.7	59.6	16	28	10	23	48	24.99	12.7	13.2 12.2
SR#3	8.8	265	42.9	74.2	88.5	58.5	17	32	9	25	50	25.58	12.7	13.3 12.2
SR #4	9.1	294	46.4	73.4	90.1	54.0	19	42	8	27	50	25.88	12.7	13.1 12.2
SR#5	8.5	287	41.3	72.0	91.5	47.5	23	55	9	28	49	25.95	12.6	13.2 12.2
SR #6	8.4	276	32.2	75.5	90.0	59.7	16	25	9	25	50	25.74	12.7	13.2 12.2
SR #7	7.6	220	34.5	70.9	83.3	57.0	17	29	9	23	48	24.69	12.7	13.2 12.2
SR#8	8.3	192	35.7	72.7	86.7	56.4	17	31	9	24	49	25.08	12.7	13.2 12.2
SR #9	8.5	216	36.1	75.2	89.7	59.4	16	26	9	24	50	25.66	12.6	13.1 12.0
SR #10	8.2	284	39.0	74.7	90.4	55.5	17	40	9	26	50	25.85	12.7	13.1 12.2
SR#11	8.1	281	38.2	72.5	90.8	48.1	21	50	8	28	49	25.94	12.7	13.3 12.2
SR#12	8.1	283	35.3	73.2	91.9	48.7	20	45	8	27	49	25.96	12.6	13.2 12.2
SR #13	8.9	185	39.8	73.2	86.9	59.5	15	25	9	22	48	25.09	12.6	13.2 12.1
SR#14	8.8	180	35.5	76.1	89.3	62.0	15	26	9	24	50	25.69	12.7	13.2 12.2
SR #15	8.3	213	34.6	73.6	91.5	46.5	21	54	9	28	50	25.97	12.7	13.4 12.2
SR#16	8.1	223	33.1	74.8	92.0	49.4	18	42	8	26	50	25.97	12.7	13.2 12.1

Copyright: Western Regional Climate Center - Desert Research Institute - Reno, Nevada.

Data are subject to further review and editing. Please refer any questions to the Western Regional Climate Center.

 $^{^{\}circ}$ 1 ly = 1 cal/cm² = 4.1855 J/cm² = 3.6855 BTU/ft² = .01163 KW/m²

^{*} Incomplete data. Listed data compiled from available data.



June 18, 2005



	Wind			Air Temperature			Humidity			Dew	Wet	Baro.	Batter	y Voltage
	Ave.	V. Dir.	Max.	Mean	Max	Min	Mean	Max	Min	Point	Bulb	Press.	Mean	Max Min
Station	mph Deg mph		Deg. F.			Percent			Deg. F.		in. Hg.	volts		
SR#1 *	6.7		21.6	52.5	64.0	42.7	22	30	12	14	37	24.23	12.7	13.3 12.0
SR#2*	6.8		19.6	55.1	68.0	45.0	22	31	11	17	39	24.99	12.7	13.4 12.1
SR#3 *	8.7		22.3	58.1	71.7	49.2	24	33	13	20	41	25.61	12.7	13.4 12.1
SR #4 *	8.2		22.7	57.9	72.5	44.8	27	47	12	22	42	25.92	12.5	13.2 12.1
SR #5 *	6.7		24.4	55.3	73.1	43.3	29	50	12	22	40	26.00	12.7	13.3 12.2
SR #6 *	5.8		21.2	57.0	72.9	44.8	23	36	12	18	40	25.78	12.7	13.3 12.1
SR#7 *	5.7		20.4	52.9	67.4	40.4	24	35	12	16	38	24.70	12.7	13.3 12.2
SR#8 *	7.4		20.9	54.9	69.9	42.5	23	34	12	17	39	25.10	12.7	13.3 12.2
SR #9 *	9.0		22.9	58.5	72.2	49.0	23	33	12	20	41	25.70	12.5	13.2 12.0
SR #10 *	8.7		22.2	58.9	73.0	46.6	24	42	11	21	42	25.89	12.7	13.2 12.2
SR#11 *	7.5		26.4	55.9	72.2	44.2	28	47	12	22	41	25.98	12.8	13.4 12.2
SR #12 *	6.2		22.0	53.7	73.2	36.6	27	45	12	19	39	26.00	12.6	13.3 12.1
SR #13 *	8.7		20.4	56.5	68.5	45.8	22	31	13	17	40	25.10	12.6	13.3 12.1
SR#14*	8.7		22.0	59.3	72.4	51.3	22	32	10	20	42	25.72	12.7	13.3 12.2
SR #15 *	5.6		22.1	55.6	73.0	39.2	29	58	12	21	40	26.02	12.8	13.5 12.2
SR#16*	6.0		21.2	55.5	73.5	38.8	27	49	10	20	40	26.02	12.7	13.4 12.1

Copyright: Western Regional Climate Center - Desert Research Institute - Reno, Nevada.


Data are subject to further review and editing. Please refer any questions to the Western Regional Climate Center.

Which QC procedures would let these data through?


 $^{^{\}circ}$ 1 ly = 1 cal/cm² = 4.1855 J/cm² = 3.6855 BTU/ft² = .01163 KW/m²

^{*} Incomplete data. Listed data compiled from available data.


Sierra Rotors - TREX July 2004 Sites 07-12 Mean Hourly Temperature (F)



Sierra Rotors TREX Network Sites 13-16 Mean Hourly Temperature July 2004



Sierra Rotors / TREX Network Mean Monthly Temperature (F). July 2004.



Elevation difference between adjoining stations

